

FM Approvals 1151 Boston Providence Turnpike P.O. Box 9102 Norwood, MA 02062 USA T: **781 762 4300** F: 781-762-9375 www.fmapprovals.com

CERTIFICATE OF COMPLIANCE

HAZARDOUS (CLASSIFIED) LOCATION ELECTRICAL EQUIPMENT

This certificate is issued for the following equipment:

SB2-d, SB4-a, SB5-a, SB6-b, SB7-b, SB8-b, PCB-g, PCBB-g, PCBC-g, PC1-b, PC22-b, PC42-b, PC46-g, PC60-g, RC1-d, PBx-e, SLB-f, SB14-a, SB15-a, PC6-b, RC2-d, PC2-g, RC3-d, ZLB-b, HM1-g, PC3-b, BK2-a, DSB2-h, DSB5-h, CPB-e. Load Cells. UB1-a, UB5-a, UB6-b, UB7-b, ULB-a. ULG-i. Force Transducer. IS/I,II,III/ABCDEFG/T4 — 3-21457; Entity Entity Parameters: Vmax = 29.9Vdc, Imax = 450mA, Ci = 0, Li = 0. a = Capacity: between 100kg and 10T; 200lb and 20klb; 1kN and 100kN. b = Capacity: between 5kg and 500kg; 10lb and 1klb; 50N and 5kN. d = Capacity: between 5 klb and 500 klb; 2 ton and 250 ton; 20 kN and 2.5 MN. e = Capacity: any between 0.5 kg and 2500 kg; 1 lb and 5 klb; 5 N and 25 kN. f = Capacity: between 200lb and 20klb; 100kg and 10000kg; 1kN and 100kN. g = Capacity: between 20kg and 1000kg; 50lb and 2000lb; 200N and 10kN.

- h = Capacity between 100kg and 100T; 200lb and 200klb; 1kN and 1MN.
- i = Capacity between 100lbs and 10klbs.
- x = Customer: F, M, N or W.

Equipment Ratings:

Intrinsically Safe (Entity) for use in Class I, II, III, Division 1, Groups A, B, C, D, E, F and G; Temperature Class T4 Ta = 40°C; when installed per Control Drawing 3-21457 Hazardous (Classified) Locations.

FM Approved for:

Flintec, Inc. Hudson, MA



This certifies that the equipment described has been found to comply with the following Approval Standards and other documents:

 Class 3600
 1998

 Class 3610
 2010

 Class 3810
 1989

 Including Supplement #1
 1995

Original Project ID: 0Z6A4.AX

Approval Granted: December 30, 1995

Subsequent Revision Reports / Date Approval Amended

| Report Number | Date | Report Number | Date |
|---------------|--------------------|---------------|------|
| 1B7A7.AX | May 8, 1996 | | |
| 0D4A1.AX | February 4, 1997 | | |
| 3004319 | July 20, 1999 | | |
| 3008670 | September 28, 2000 | | |
| 030807 | August 22, 2003 | | |
| 051006 | December 14, 2005 | | |
| 061129 | December 6, 2006 | | |
| 070726 | August 20, 2007 | | |
| 3042025 | December 27, 2011 | | |
| | | | |

FM Approvals LLC

). E. Marquestint

J. É. Marquedant Group Manager, Electrical

27 December 2011

Date